

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	108	(icon with stacked) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 14:45
S2	1	("20050076313").PN.	US-PGPUB	OR	OFF	2005/10/20 16:35
S4	85	(715/805).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 12:09
S5	75	S4 and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:35
S8	25	((shad\$3 adj1 (icon or symbol)) with (color or red or green or gr?y)) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 17:53
S9	27	(715/816).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 12:11
S10	20	S9 and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 08:17
S11	642	(345/426).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 19:03
S12	628	S11 and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 10:52

S13	84	S12 and (icon or symbol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 14:48
S14	912	(715/810).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 11:35
S15	862	S14 and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 12:38
S16	666	(715/835).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 12:10
S17	657	S16 and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 12:12
S18	81	(715/837).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 13:07
S19	76	S18 and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 14:56
S20	84	(715/861).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 13:07

S21	76	S20 and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 15:26
S22	94	(icon with (representative or symbolic or depicted) adj2 (measurement or data or single)) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 13:17
S23	0	(shad\$3 adj2 icon same "color hue") and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 13:21
S24	43	(shad\$3 adj2 icon with change) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 19:23
S25	502	((gene or phenotype or proteomics or metabolite or enzyme) adj3 (modeling or displaying)) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 15:29
S26	102	((gene or phenotype or proteomics or metabolite or enzyme) adj3 (modeling)) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 15:30
S27	62	((((gene or phenotype or proteomics or metabolite or enzyme) adj3 (modeling)) and display\$3) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 15:38
S28	19	(displaying adj1 (biological or gene or phenotype or proteomics or metabolite or enzyme) adj1 data) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 18:23

S29	50	("4704692" "4710763" "4771384" "4923808" "4939666" "5146556" "5187775" "5404442" "5436850" "5452416" "5453937" "5524240" "5544352" "5557535" "5577249" "5595877" "5598350" "5600826" "5701256" "5706498" "5721900" "5724253" "5724605" "5748927" "5761656" "5777616" "5795716" "5799301" "5812804" "5815151" "5828376" "5842151" "5856928" "5864488" "5873052" "5878373" "5884230" "5891632" "5893082" "5911138" "5917492" "5926806" "5977890" "5994099" "6068975" "6141657" "6221587" "6223186" "6270971" "6377893").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 17:20
S30	25	(icon near3 gene) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 18:47
S31	0	(icon near3 metabolite) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 18:49
S32	12	(icon near3 molecule) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 18:49
S33	2167	(702/19).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 19:03
S34	2029	S33 and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 19:03

S35	54	S34 and icon	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 19:03
S36	77	(shad\$3 adj1 icon) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 19:24
S37	16	((shad\$3 adj1 icon) with color) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 19:41
S38	91	(icon adj2 "measurement") and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 19:45
S39	48	(icon adj1 "represent data") and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 12:53
S40	46	"adjusting color saturation" and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 12:50
S41	4	S40 and icon	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 12:50
S43	1	("icon representative" adj2 measurement) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 12:56

S44	27	("icon representative" adj2 data) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 12:59
S45	48	("icon representative" adj2 one) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 13:03
S46	0	("icon representative" adj2 unit) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 13:03
S47	0	("icon symbolizes" adj2 unit) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 13:03
S48	1	("icon symbolizes" adj2 one) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 13:03
S49	4	("icon symbolizes" adj2 data) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 13:04
S50	0	("icon symbolizes" adj2 measurement) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 13:04
S51	0	("icon depicted" adj2 measurement) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 13:05

S52	0	("icon depicted" adj2 data) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 13:05
S53	1	("icon depicted" adj2 one) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 13:05
S54	0	("icon depicted" adj2 unit) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 13:06
S55	0	("icon symbolic" adj2 unit) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 13:06
S56	0	("icon symbolic" adj2 one) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 13:06
S57	2	("icon symbolic" adj2 data) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 13:06
S58	0	("icon symbolic" adj2 measurement) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 13:07
S59	203	(icon adj2 (denote\$1 or express\$2 or illustrate or indicate or "stands for" or signif\$3 or express\$2) adj2 (measurement or data or unit or one)) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 13:09

S60	100	(icon adj1 (denote\$1 or express\$2 or illustrate or indicate or "stands for" or signif\$3 or express\$2) adj2 (measurement or data or unit or one)) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 13:10
S61	33	("vertically stacked" same (icon or symbol)) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 12:12
S62	21	(icon with shading with change) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 14:16
S63	645	(345/426).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 14:48
S64	631	S63 and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 14:48
S65	19	S64 and (icon)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 14:48
S66	79	(icon near1 measurement) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 14:59
S67	2395	(icon adj1 represents) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 14:59

S68	48	(icon adj1 represents adj1 data) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:55
S69	20	(icon same "color saturation") and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:55
S70	109	(icon\$2 near1 vertical\$2) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 18:32
S71	898	(icon\$2 adj1 (placement or alignment or arrangement or location or order)) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 17:56
S72	17	((icon\$2 adj1 (placement or alignment or arrangement or location or order)) with determined) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 17:58
S73	606	(icon\$2 adj1 (placement or alignment or arrangement or location)) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 17:58
S74	186	(icon\$2 adj1 (placement or alignment or arrangement)) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 17:59
S75	7	((icon\$2 adj1 (placement or alignment or arrangement)) with change) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 18:23

S76	2	((icon\$2 adj1 (placement or alignment or arrangement)) same stack) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 18:29
S77	3	(displayed near3 (icon\$2 near1 vertical\$2)) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 18:33
S78	14	(displayed near3 (icon\$2 near2 vertical\$2)) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 18:33
S79	0	(icon with "biological context") and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 09:13
S80	0	(icon with "biological pathway") and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 09:15
S81	0	(icon with "biochemical pathway") and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 09:15
S82	5667	(display\$3 with biological) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 09:26
S83	9	((display\$3 with biological) same icon) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 09:18

S84	395	(703/11).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 09:18
S85	378	S84 and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 11:17
S86	19	S85 and icon	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 09:26
S87	32	EcoCyc and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 14:01
S88	14	S87 and "user interface"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 11:32
S89	1	("20030218634").PN.	US-PGPUB	OR	OFF	2005/10/18 13:24
S90	1	("20040027350").PN.	US-PGPUB	OR	OFF	2005/10/18 13:59
S91	50	("5980096" "6051388" "6627459" "5675663" "6044211" "5481992" "5379051" "5970466" "4988985" "5181014" "5206687" "5389947" "5521841" "5547226" "5570107" "5572641" "4757333" "4818938" "5063535" "5191645" "5226109" "5299174" "5305013" "5396564" "5406640" "5464144" "5465286" "5497934" "5499040" "5503320" "5511187" "5532715" "5546807" "5553211" "5565886" "5570108" "5586316" "5590264" "5619637" "5680558" "5694616" "5739809" "5742287" "5751965" "5761686" "5771380" "5790818" "5796398" "5796383" "5802361").pn.	USPAT	OR	ON	2005/10/18 14:01

S93	48	("5805166" "5804765" "5828361" "5835625" "5838386" "5842167" "5850211" "5874988" "5896140" "5897647" "5907568" "5909213" "5912656" "5920313" "5943680" "5951055" "5973692" "5984502" "5990891" "5991534" "5995087" "6014616" "6016144" "6018332" "6031532" "6037933" "6041335" "6052486" "6057842" "6072904" "6101500" "6100888" "6111562" "6115023" "6138150" "6149323" "6157389" "6163280" "6169547" "6181838" "6184881" "6181353" "6195089" "6205231" "6208985" "6212541" "6222534" "6212541" "6222534" "6236399").pn.	USPAT	OR	ON	2005/10/18 14:01
S94	2	("5379366" "5443791").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/20 13:05
S95	12	("5980096").URPN.	USPAT	OR	ON	2005/10/20 13:06
S96	1	("5980096").PN.	USPAT	OR	OFF	2005/10/20 16:36
S97	1	S96 and (pathway same icon)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:45
S98	1	S96 and (pathway same (select\$3 or click\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:33
S99	1	S96 and (pathway with (select\$3 or click\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 17:33
S10 0	25	(select\$3 adj2 ("biological context" or "biochemical pathway" or "pathway networks context" or ((biochemical or metabolic) adj1 "pathway networks")) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 12:44
S10 1	1	("5980096").PN.	USPAT	OR	OFF	2005/10/24 15:45

S10 2	1	S101 and (pathway same database)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:12
S10 3	1	S101 and (icon same generat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 18:15
S10 4	1	S101 and (icon with gene)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:09
S10 5	1	S101 and (icon with display\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 13:17
S10 6	1	(icon with ("BCP data" or "GEP data" or "proteomics data")) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:36
S10 8	1	S101 and (dynamic same icon)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 18:17
S11 0	22	("orthogonal graph") and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 09:01
S11 1	176	("circular graph") and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 14:45

S11 2	50	("circular graph" same display) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 09:15
S11 3	14	("display biological data") and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 10:58
S11 5	14	("biological context" same database) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 10:49
S11 6	108	("paradigm genetics").as. and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 10:57
S11 9	4	("gene expression" adj1 "data measurement") and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 10:59
S12 0	0	("biological context" same alphanumeric) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 12:39
S12 1	0	("biological context" same "alpha numeric") and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 12:39
S12 2	41	("biological context" same value) and (@ad<"20031003" or @prad<"20031003" or @rlad<"20031003")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 12:39
S12 3	1	("5980096").PN.	USPAT	OR	OFF	2005/10/25 13:17

S12 4	1	S123 and (pathway same text)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 13:17
----------	---	------------------------------	--	----	----	------------------